



K I N T E K F U R N A C E

V a c u u m A c c e s s o r i e s

Contact us for high temperature gas furnaces,

K I N T E K F U R N A C E

> > >

K i n t e k F u r n a c e

C V D / P E C V D



Cf

: KT - VA 01



CF

	H	C	D	n - P	B
CF 16	34	27	14	6 - 4.3	18
CF 25	54	43	23	6 - 6.6	14
CF 35	70	58.7	38	6 - 6.6	16
CF 50	86	72.4	50	8 - 8.4	17
CF 63	114	92.2	62	8 - 8.4	20
CF 100	152	130.3	95	16 - 8.4	20
CF 150	202	181.1	146	20 - 8.4	22
CF 200	253	231.9	146	24 - 8.4	24.5

C f

: KT - VA 0 2



C F

	H	C	D	n - P	B
CF 16	34	27	14	6 - 4.3	18
CF 25	54	43	23	6 - 6.6	14
CF 35	70	58.7	38	6 - 6.6	16
CF 50	86	72.4	50	8 - 8.4	17
CF 63	114	92.2	62	8 - 8.4	20
CF 100	152	130.3	95	16 - 8.4	20
CF 150	202	181.1	146	20 - 8.4	22
CF 200	253	231.9	146	24 - 8.4	24.5

K f

: KT - VA 03



304 K F 350

K F 25	40 mm	23 mm	350	15.5 mm	304
K F 40	55 mm	23 mm		15.5 mm	
K F 50	75 mm	34 mm		16 mm	

K f

3 0 4

: K T - V A 0 4



K F

3 0 4

K F 2 5	4 0 mm	2 3 mm	3 5 0	1 5 . 5 mm	3 0 4
K F 4 0	5 5 mm	2 0 mm		1 5 . 5 mm	
K F 5 0	7 5 mm	3 4 mm		1 6 mm	

: KT - VA05



K F

10⁻⁹ Torr

304

K F 25	40 mm	23 mm	350	15.5 mm	304
K F 40	55 mm	20 mm		15.5 mm	
K F 50	75 mm	34 mm		16 mm	

: KT - VA 06



KF 16	KF 25	KF 40	KF 50
-------	-------	-------	-------

KF 80	KF 100	KF 160	KF 200
-------	--------	--------	--------

KF 63	KF 80	KF 100	KF 160	KF 200	KF 250
-------	-------	--------	--------	--------	--------

K f I s o C f

: K T - V A 0 7



K F / I S O / C F

C f

K f

: KT - VA 08



CF / KF

	/
	CF16 CF25 CF40 CF63 CF100 KF16 KF25 KF40 KF50 KF63
	100mm 200mm 300mm 500mm 1000mm
	400
	10^{-8} Pa

: KT - VA09



UHV

	CF16, CF25, CF40, CF63, CF100, KF16, KF25, KF40, KF50, KF63 ()
	100mm 200mm 300mm 500mm 1000mm
	400
	10^{-10} Pa

K f I s o C f

: K T - V A 1 0



K F / I S O / C F 1 0 - m b a r
S T D

	K F I S O C F
	1 0 ⁻⁹ m b a r
	- 2 0 0 ° C ~ + 2 0 0 ° C
	1 0 A 1
	5 0 0 V
	I P 6 5
	2 5 m m 4 0 m m 6 3 m m 1 0 0 m m 1 6 0 m m 2 0 0 m m 2 5 0 m m K F / I S O / C F
	K F I S O C F
	M 5 M 6 M 8 M 1 0 M 1 2
	0 . 5 k g 1 k g 1 . 5 k g 2 k g 2 . 5 k g 3 k g
	K F / I S O / C F
	0 K F / I S O / C F

304 316

: KT - VA11



KINTEK 304 / 316

	/
	304 / 316
	10 ⁻⁸ mbar - 1000 mbar
	- 196° C - 200° C
	10 ⁻⁹ mbar · l / s
	/ /
	/ /
	DN10 - DN100
	, ,

K f I s o

: K T - V A 1 2



K F / I S O
3 0 4 / 3 1 6 S S

E P D M K F &
I S O

	A	B	C	D
I S O 6 3	9 5 m m	1 2 m m	7 0 m m	9 0 m m
I S O 8 0	1 1 0 m m	1 2 m m	8 3 m m	1 0 5 m m
I S O 1 0 0	1 3 0 m m	1 2 m m	1 0 2 m m	1 2 5 m m
I S O 1 2 5	1 5 5 m m	1 2 m m	1 2 7 m m	1 5 0 m m
I S O 1 6 0	1 8 0 m m	1 2 m m	1 5 3 m m	1 7 5 m m
I S O 2 0 0	2 4 0 m m	1 2 m m	2 1 3 m m	2 3 5 m m
I S O 2 5 0	2 9 0 m m	1 2 m m	2 6 1 m m	2 8 5 m m
I S O 3 2 0	3 7 0 m m	1 7 m m	3 1 8 m m	3 6 5 m m
I S O 4 0 0	4 5 0 m m	1 7 m m	4 0 0 m m	4 4 5 m m
I S O 5 0 0	5 5 0 m m	1 7 m m	5 0 1 m m	5 4 5 m m
I S O 6 3 0	6 9 0 m m	2 2 m m	6 5 1 m m	6 8 5 m m

	A	B
K F 1 0	1 2 . 2 m m	3 0 m m
K F 1 6	1 7 . 2 m m	3 0 m m
K F 2 5	2 6 . 2 m m	4 0 m m
K F 4 0	4 1 . 2 m m	5 5 m m
K F 5 0	5 2 . 2 m m	7 5 m m
K F 6 3	7 0 m m	8 7 m m
K F 8 0	8 3 m m	1 1 4 m m
K F 1 0 0	1 0 2 m m	1 3 4 m m
K F 1 6 0	1 5 3 m m	1 9 0 m m

	A	B	C * n o	P . C . D
CF 16	34 mm	7 . 5 mm	4 . 4 * 6	26 . 9 mm
CF 25	54 mm	10 . 5 mm	6 . 6 * 6	43 mm
CF 35	70 mm	12 . 7 mm	6 . 7 * 6	58 . 7 mm
CF 50	86 mm	16 mm	8 . 4 * 8	72 . 4 mm
CF 63	114 mm	18 mm	8 . 4 * 8	92 . 1 mm
CF 80	130 mm	18 mm	8 . 4 * 16	110 mm
CF 100	152 mm	20 mm	8 . 4 * 16	130 . 3 mm
CF 150	202 mm	22 mm	8 . 4 * 20	181 mm
CF 200	253 mm	24 . 5 mm	8 . 4 * 24	231 . 8 mm
CF 250	305 mm	26 mm	8 . 4 * 32	284 mm
CF 300	368 mm	28 . 5 mm	10 . 8 * 36	338 . 1 mm
CF 350	419 . 1 mm	28 . 5 mm	10 . 8 * 36	388 . 9 mm



K i n t e k F u r n a c e

8 9

W h a t s A p p
Image Not found