



K I N T E K F U R N A C E

V a c u u m H o t P r e s s F u r n a

Contact us for high temperature gas furnace,

K I N T E K F U R N A C E

> > >

K i n t e k F u r n a c e

C V D / P E C V D



: KT - VHP



KINTEK

2800

	•	5 800T	
	•	60	
	•		
	•		
	•		
	•	2	PLC KINTEK
	•	PLC	
		1500 / 2200	
		/	
		10- 400T (800T)	

100 - 200 mm	
$6 \times 10^{-3} \text{ Pa}$	
90 - 600 mm	
120 - 600 mm	

: KT - VTP



KINTEK

0 - 30 Mpa
: 1 Mpa / 10 min

: 1150
: Mo Ni - Cr - Al
: : 300mm
: 100mm
PID
: 2200W

/
: 100mm 120 / 160mm
O SS

(
87mm
55mm / 50mm
OD22.8 x ID20.8
: 12.7mmOD / 40mm

10 - 2 torr
10 - 4 torr

AC110 - 220V 50 / 60Hz

S p s

: KTSP



KINTEK
SPS

	<ul style="list-style-type: none"> • • • DC • •
--	--

	<ul style="list-style-type: none"> • • • 5
--	---

	<ul style="list-style-type: none"> • • 20 T •
--	--

	<ul style="list-style-type: none"> • • •
--	---

	<ul style="list-style-type: none"> • 760 L X 460 W X 1820 H, mm • 970 L X 720 W X 1400 H mm
--	---

	KTSP-10T-5	KTSP-20T-6	KTSP-20T-1	KTSP-50T-30
	50Kw	60Kw	100Kw	300Kw
	0-5000A	0-6000A	0-10000A	0-30000A
	0-10V	0-10V	0-10V	0-10V
	1600	2300		
	100KN 10	200KN 20	200KN 20	500KN 50
	Ø30mm	Ø50mm	Ø100mm	Ø200mm
	100mm	100mm	100mm	200mm



K i n t e k F u r n a c e

8 9

W h a t s A p p
Image Not Found