

: KT-BL



K T -B L 1600

		KT-BL	
		1100/1300/1600	
		A I 2 O 3	
		/	
		0 20 / 30 /	
		K / S / B	
		PID Yudian	
		± 1	
		± 5	
		A C 1 1 0 - 2 2 0 V 5 0 / 6 0 H z	
(mm)	(L)	mm	L
(mm)	(L)	mm 400x400x500	L 80
200x200x300	1 2	400x400x500	8 0
200x200x300 300x300x300	1 2 2 7	400x400x500 500x500x500	8 0
200x200x300 300x300x300 300x400x300	1 2 2 7 3 6	400x400x500 500x500x500 600x600x600	8 0 1 2 5 2 1 6
200x200x300 300x300x300 300x400x300	1 2 2 7 3 6	400x400x500 500x500x500 600x600x600	8 0 1 2 5 2 1 6
200x200x300 300x300x300 300x400x300 400x400x400	1 2 2 7 3 6 6 4	400x400x500 500x500x500 600x600x600 800x800x800	8 0 1 2 5 2 1 6
200x200x300 300x300x300 300x400x300 400x400x400	1 2 2 7 3 6 6 4 K T - B L	400x400x500 500x500x500 600x600x600 800x800x800	8 0 1 2 5 2 1 6
200x200x300 300x300x300 300x400x300 400x400x400	1 2 2 7 3 6 6 4	400x400x500 500x500x500 600x600x600 800x800x800	8 0 1 2 5 2 1 6



5 1